
TM







VIA LESINA, 45 - 24030 BREMBATE DI SOPRA (BG) - ITALY TEL. +39 035692509 - FAX +39 035203291 INFO@WEBHTP.EU - WWW.WEBHTP.EU



# neyit

### UL/CSA APPROVED EN 175301-803 (EX DIN 43650) BASES AND CONNECTORS















#### ATEX 94/9/CE APPROVED EN175301-803 (EX DIN43650) CONNECTORS







#### EN 175301-803 (EX DIN 43650) CONNECTORS







ADAPTER DIN43650 A/B/C WITH ELECTRONIC COMPONENTS.

#### M12 FIELD ATTACHABLE CIRCULAR CONNECTORS FROM Ø 4-9 MM CABLE ENTRY

#### MALE-FEMALE





4-5-8-12 POLES

### M8 DISTRIBUTION BOXES WITH M12 CONNECTION


#### 4 POSITIONS



#### 10 POSITIONS



## **NEWS**



#### ACCESSORIES TO FIX THE CONDUIT



CLIP



PG7



PG9



PG11

ACCESSORY / PRESS-CABLE SCREW PG7/PG9/PG11 AND CLIP TO FIX CONDUIT TUBES WITH ØINT.: 9.6MM; ØEST.: 13MM



#### CUSTOMIZED PRODUCTS











#### TIMERS





### M8 FIELD ATTACHABLE CONNECTORS WITH SCREW CONTACTS

MALE-FEMALE





3-4 POLES

### M8 FIELD ATTACHABLE CONNECTORS WITH SOLDERED CONTACTS





#### M8 PANEL MOUNTING CONNECTORS

MALE



3-4 POLES

FEMALE



3-4 POLES

PASS-THROUGHT MALE TO FEMALE



3-4 POLES

#### M8 CONNECTORS WITH PVC OR PUR MOULDED CABLE









## M8 TOTALLY SHIELDED CONNECTORS WITH PVC OR PUR SHIELDED CABLE

#### MALE-FEMALE





3-4 POLES

## MB CONNECTORS WITH PNP OR NPN LED AND PVC O PUR MOULDED CABLE

MALE-FEMALE









3-4 POLES

#### M8 SNAP CONNECTORS WITH PVC OR PUR MOULDED CABLE









#### M9 TOTALLY SHIELDED CONNECTORS WITH PVC OR PUR SHIELDED CABLE

#### MALE-FEMALE





5 POLES

# ?-MI2-COMMECTO

#### M12 FIELD ATTACHABLE CONNECTORS

MALE-FEMALE

PG7





4-5-8 POLES SCREW CONTACTS

12 POLES SOLDERED CONTACTS

PG9





## M 1 2 FIELD ATTACHABLE CONNECTORS WITH METAL HOUSING

MALE-FEMALE





4-5-8-12 POLES

#### M12 PANEL MOUNTING CONNECTORS

MALE







PASS-THROUGH MALE TO FEMALE



4-5-8-12 POLES 4-5-8-12 POLES

5 POLES

## M 1 2 CONNECTORS WITH PNP/NPN LED OR PUR AND PVC MOULDED CABLE

MALE-FEMALE





3-4 POLES

#### M12 Y-SPLITTER CONNECTORS

MALE-FEMALE





#### M 1 2 TOTALLY SHIELDED CONNECTORS WITH PVC OR PUR SHIELDED CABLE

MALE-FEMALE





3-4-5-8 POLES

### M12 FIELD ATTACHABLE CONNECTORS B-CODED (FOR PROFIBUS)

MALE-FEMALE







FEMALE

4-5 POLES

#### M 1 2 B-CODED TERMINAL CONNECTORS (FOR PROFIBUS)



MALE







FEMALE

#### M 1 2 TOTALLY SHIELDED CONNECTORS WITH MOULDED PROFIBUS CABLE



MALE







5 POLES

#### M12 D-CODED CONNECTORS



MALE







M8/M12 T-SPLITTER CONNECTORS











#### 7/8" FIELD ATTACHABLE CONNECTORS

MALE-FEMALE





3-4-5-6 POLES

#### 7/8" PANEL MOUNTING CONNECTORS

MALE-FEMALE





3-4-5-6 POLES

#### 7/8" CONNECTORS WITH PVC O PUR MOULDED CABLE





3-4-5-6 POLES

#### 7/8" T-SPLITTER CONNECTORS





#### EN 175000 (DIN 43563) CONNECTORS





#### EN 175301-803 (EX DIN 43650) CONNECTORS

#### A/ISO 4400





#### B/ISO 6952 INDUSTRIAL FORM

TYPE M1 (1 1 MM)



TYPE CM1 (11MM)





2 POLES + DOUBLE EARTH 6/12H

TYPE MZ (10MM)



TYPE CM2 (10MM)



C- MICRO

TYPE P1 (8MM)



TYPE CP1 (8MM)



TYPE P2 (9,4MM)



TYPE CP2 (9,4MM)



BASES



#### INDUSTRIAL CONNECTORS

FEMALE



3 POLES + EARTH

#### AUTOMOTIVE CONNECTORS


MALE




FEMALE



#### FUSE HOLDER





MODULAR FIXING SYSTEM IN SERIES



#### MAGNETIC SENSORS













2 WIRES REED NORMALLY OPEN
3 WIRES REED PNP NORMALLY OPEN
MAGNET-RESISTIVE PNP NORMALLY OPEN
MAGNET-RESISTIVE NPN NORMALLY OPEN

### **M8 DISTRIBUTION BOXES**

#### WITH TERMINAL CONTACTS

6 POSITIONS



8 POSITIONS



10 POSITIONS



WITH PUR OR PVC MOULDED CABLE

6 POSITIONS



8 POSITIONS



10 POSITIONS



12 POSITIONS



WITH M12 CONNECTION

6 POSITIONS



12 POSITIONS



### M12 DISTRIBUTION BOXES

WITH TERMINAL CONTACTS

4 POSITIONS





8 POSITIONS



WITH PUR AND PVC MOULDED CABLE






WITH TERMINAL CONTACTS WITH TRIPLE SIGNAL











ALL RIGHT ARE RESERVED. OUR CATALOGUES CAN NOT BE REPRINTED OR REPRODUCED
IN ANY FORM AND NO OTHER FORM OF REPRODUCTION CAN BE USED WITHOUT OUR WRITTEN AUTHORIZATION IN ADVANCE.

N.B.: HIGH TECH PRODUCTS S.R.L. DOES NOT TAKE ANY RESPONSIBILITY FOR ANY MISTAKES IN THE CATALOGUE AND RESERVES THE RIGHT TO MODIFY
OR TO CHANGE THE CONTENT OR THE TECHNICAL SPECIFICATIONS WITHOUT ANY PRE-NOTICE.